



# Orwak 3410 Sliding door

## Benefits

- Savings on your waste collection
- Tidy premises
- Space and time saving

## Features

- Front loading
- Large loading aperture
- Sliding door
- Equipped with autostart
- Operator friendly
- Quiet operation
- Fast cycle time
- Secure door locking





Technical specifications

Dimensions

3410 Sliding door

- A: 9'9"
- B: 63"
- C: 44"
- D: 95"
- E: 44"
- F: 7'1"

\*Transport Height



Loading aperture

Width: 44"  
Height: 22"

Cycle time 35 secs

Press force (cardboard) 52,800 lbs.

Bale size  
Width: 48"  
Depth: 32"  
Height: 40"

Bale weight  
Cardboard: Up to 770 lbs.  
Plastic: Up to 1000 lbs.

Chamber dimension (internal)  
Width: 48"  
Depth: 32"  
Height: 61"

Weight (machine)  
Total: 3014 lbs.

Noise level 62.7 db (A)

Protection class IP 55

Operating power  
3-phase 3x208 V, 60 Hz  
3-phase 3x440 V, 60 Hz

# 3410 Sliding door for easier and faster handling

For even easier and faster loading this model of 3410 has a sliding door that opens automatically after each cycle. 3410 Sliding door is also equipped with an autostart function which allows the baler to start compacting the material as soon as the door closes.

## Safe and silent

3410 Sliding door is operator friendly and safe to use. Due to a new type of hydraulics the operation is silent (only 62.7 dB).

## High capacity

3410 Sliding door has a generous loading aperture and offers high capacity. It is suitable for customers such as large industries and supermarkets with big amounts of packaging materials.

## Switch between LP and HP

Compacting cardboard or plastic foil? A switch conveniently located on the side of the machine makes it simple to alter the setting from High Pressure (HP) for cardboard to Low Pressure (LP) for plastic foil.



For more info. contact us or visit our website [www.orwak.us](http://www.orwak.us)  
We reserve the right to make changes to specifications without prior notice.  
Bale/bag/bin weights are dependent upon material type.